

Mounted sprayers



# OMNIS 600, 800, 1000 & 1200 L

12 - 18 m hydraulic booms

[www.kuhn.com](http://www.kuhn.com)



be strong, be **KUHN**

# COMFORT:

## HYDRAULIC BOOM AND ELECTRIC REGULATION


### HITCH AND REDUCED OFFSET

- Automatic hitch optional
- 125 or 165 L/min piston diaphragm pump with rear-mounted position for a long transmission - easy to attach.



### SIMPLE OPERATION

Operation is easy and logical.



### ELECTRIC DPM (OUTPUT PROPORTIONAL TO ENGINE)

DPS box:

- Sequential section opening/closing
- Electric pressure setting
- Selection of hydraulic boom functions



### ACCURACY: DPAE (OUTPUT PROPORTIONAL TO FORWARD SPEED)

RPB box:

- Sequential section opening/closing
- Output per hectare setting
- Selection of hydraulic boom functions
- Permanent display of output (L/ha), speed and pressure
- Pressure alarms, tank low alarms, etc.

OMNIS equipment complies with spraying standards for good spraying practice:



### 100 LITRE RINSING TANK

with 360° single-head central rotary washer as standard.



### 25 LITRE INCORPORATOR

as standard with rinsing attachment and bottle rinser.



### EXTERNAL CLEANING KIT

1.5 m automatic reel and lance (optional).



### 12 - 15 M RHX BOOM

- 2 rear cross-folding arms
- Galvanised steel for good corrosion resistance.
- TRAPEZIA suspension with link rod and automatic mechanical tilt corrector
- Frame lock and hydraulic tilt corrector available as options
- Spring-loaded safety
- Compactness for transport


### 15 - 18 M RVA BOOM

- 3 vertically-folding arms
- Aluminium for optimum corrosion resistance and excellent resale value.
- TRAPEZIA suspension with link rod and automatic mechanical tilt corrector
- Frame lock and hydraulic tilt corrector fitted as standard.
- 3D spring-loaded safety
- Compactness



## Technical specifications

	Height A (cm)	Length B (cm)	Width C (cm)	Weight (kg)
OMNIS 1000 RHX 15	320	170	255	655
OMNIS 1200 RVA 18	300	182	255	860



	OMNIS 800	OMNIS 1000	OMNIS 1200
Tank capacity (L)	800	1000	1200
Actual tank capacity (L)	850	1080	1260
100 litre rinsing tank	◆	◆	◆
Chassis type	One-piece fabricated steel		
Boom type	Galvanised steel or Aluminium with hydraulic folding system		
Boom width (m)	12 to 18 m		
Pump type	Piston diaphragm - PM125 (125 L/min) or PM165 (165 L/min)		
Regulation	DPME (DPS box) or DPAE (RPB box)		
25 L product incorporator	◆	◆	◆
360° rotary washer for tank	◆	◆	◆
40 L storage compartment	◇	◇	◇
Other optional equipment	Automatic hitch, 5 m suction hose and strainer, external cleaning kit, speed sensor via GPS antenna		

◆ standard equipment ◇ optional equipment

Equipment may vary from country to country.

### ACTIS



### OPTIS



### DELTIS



### ALTIS



To discover your nearest Approved Partner,  
check us out at  
**www.kuhn.com**


**KUHN FARM MACHINERY (U.K.) LTD**  
Stafford Park 7, Telford, Shropshire TF3 3BQ  
Phone: TELFORD (01952) 2393001/2 - Fax: (01952) 290091  
www.kuhn.co.uk

**KUHN FARM MACHINERY Pty Ltd**  
313 - 325 Foleys Road, Deer Park, VIC, 3023 - Australia  
Phone: +61 3 9982 1490 - Fax: +61 3 8348 5999  
www.kuhn.com.au

Some machines have a considerable weight. Respect the tractor gross vehicle weight rating, its lift capacity and maximum load per axle. The tractor front axle load must always reach minimum 20 % of the tractor net weight. Our material is produced in accordance with the European Machinery Directive in the member states of the European Union. In countries outside the E.U., our machinery complies with the safety regulations set by the country concerned. Some safety devices may have been removed from our leaflets in order to clarify the illustration. Under no circumstances should the machine be operated without the necessary safety devices in place (as specified by the assembly instructions and operators manual). We reserve the right to change any designs, specifications or materials listed without further notice. Machines and equipment in this document can be covered by at least one patent and/or registered design. Trademarks cited in this document may be registered in one or several countries.



Visit us on our YouTube channels.



Your Approved Partner

Kuhn is also on

